



***PROGRESSIVE***

LIGHTING & ELECTRICAL LTD.



B  
U  
L  
B  
S



---

Product No: SL13S-841  
Wattage: 13W  
Base Type: GX23  
Bulb Color: Soft white  
Lumens (initial): 825Lm  
Brand: Symban  
Bulb Shape: Single Tube (1U)  
Color Temperature: 3500K  
CRI: 82  
Life Hours: 10,000



---

Product No: 50PAR20-HAL-NFL30-120V  
Approx. Lumens: 550Lm  
Base Type: E26 Medium  
Beam Angle (deg): 30  
Beam Type: NFL  
Bulb Shape: PAR20  
Center beam Candlepower (cp): 1200  
CRI: 100  
Color Temperature: 2850K  
Nominal Voltage: 120V  
Nominal Wattage: 50W

---



---

Product No: 50PAR30-CAP-SPL-FL140-130V

Bulb Shape: PAR30

Voltage: 130V

Fixture Features: 600Lm, 50W, 2500 hours

Type of Bulb: Halogen Bulb

Luminous Flux: 600

Wattage: 50W

Color Temperature: 2950K



---

Product No: CF13DD-E-827-ECO

Average Rated Life: 12,000 hours

Base Type: G24Q-1

Bulb: D (T4)

CRI: 82

Color Temperature: 2700K

Mean Lumens at 25°C: 774

Nominal Wattage: 13W

---



Product No:CF13DD-E-830-ECO

Average Rated life: 12,000 hours

Base Type: G24Q-1

Bulb: T4 x 2

CRI: 82

Color Temperature: 3000K

Initial Lumens at 25°C: 900Lm

Mean Lumens at 25°C: 774Lm

Nominal Wattage: 13W



Product No: CF13DD-E-841-ECO

Average Rated Life: 12,000 hours

Base Type: G24Q-1

Bulb: D (T4)

CRI: 82

Color Temperature: 4100K

Mean Lumens at 25°C: 774Lm

Nominal Wattage: 13W



---

Product No: CF14EL-TWIST-827-DIM-RP

Wattage: 14W

Voltage: 120V

Current: 0.12A

Base Type: E26 Medium Screw

Color Temperature: 2800K

Bulb Shape: Coil



---

Product No: CF26DD-E-830-ECO

Average Rated Life: 12,000 hours

Base Type: G24Q-3

Bulb: D (T4)

CRI:82

Color Temperature: 3000K

Mean Lumens at 25°C: 1470

Nominal Wattage: 26W



---

Product No: 21621

Bulb Shape: T3

Bulb Color: Clear

Bulb Type: Halogen

Life Hours: 2,000

Wattage: 500W

Lumens: 8750Lm

Voltage: 120V

Base Type: R7s

---



---

Product Type: P33992-31  
Color Temperature: 3000K  
Base Type: GU5,3  
Bulb: Reflector  
Luminous Flux: 200Lm  
Average nom. Lifetime: 35,000 hours  
Colour: White  
Lamp Power: 4W  
Dimmable: Yes  
Nom. Flow: 513mA  
CRI – 80-89



---

Product Type: S3171  
Wattage: 10W  
Voltage: 12V  
Lamp Shape: T3  
Base Type: Bi-Pin G4  
ANSI Base: G4  
Finish: Clear  
Initial Lumens: 120Lm  
Color Temperature: 2900K  
Color: Warm White  
Average Rated Hours: 2,000 hours  
Dimmable/Non-Dimmable: Dimmable

---



Product No: S3315  
Wattage: 15W  
Lamp Shape: T6  
Base: Candelabra  
ANSI Base: E12  
Voltage: 120V  
Finish: Clear  
Initial Lumens: 90Lm  
Average Rated Hours: 2500 hours  
Dimmable/Non-Dimmable: Dimmable



Product No: S3391  
Wattage: 40W  
Lamp Shape: BA9 1/2  
Base: European  
ANSI Base: E14  
Voltage: 120V  
Finish: Clear  
Initial Lumens: 370Lm  
Average Rated Hours: 1500 hours  
Dimmable/Non-Dimmable: Dimmable

---



Product No: 100A-120V  
Energy Used: 100W  
Volts: 120V  
Base: Medium (E26)  
Bulb Shape: A-19  
Brightness (Lumens): 1600Lm  
Bulb Finish: Frosted  
Bulb Technology: Incandescent  
Average Rated Life: 750 hours  
Dimmable: Yes



Product No: CG57A2-GT2  
Base Type: Medium-Screw (E26)  
Bulb Shape: A19  
Bulb Finished and Colors: Inside frost  
Rated Life Hours-nominal: 1000h  
Nominal Initial Lumen per Watt: 14  
Initial Lumens-nominal: 580Lm  
Color Temperature: 2800K  
Wattage: 57W  
Input Voltage: 120V

---





---

Product No: F13DBX-841-ECO4  
Product Technology: Compact Technology  
Base: G24q-1  
Bulb Shape: T4  
Mean Lumens nominal: 755Lm  
Nominal Initial Lumen per Watt: 69  
Initial Lumens-nominal: 900Lm  
CRI: 82  
Color Temperature: 4100K  
Equivalent Incandescent Watts: 60W  
Rated power: 13W



---

Product No: F18DBX-830-ECO4P  
Bulb Shape: Quad plug-in  
Base: G24q-2  
Rated Life [h]: 12,000 hours  
Color Temperature: 3000KK  
Nominal lumens: 1200Lm  
CRI: 82  
Dimming Capability: Yes  
Nominal power: 18W  
Nominal lamp voltage: 100V

---



---

Product No: F26DBX-830-ECO4P

Bulb Shape: Quad plug-in

Base Type: G24q-3

Rated Life: 12,000 hours

Color Temperature: 3000K

Nominal Lumens: 1800Lm

CRI: 82

Nominal power: 26W

Nominal lamp voltage: 105V



---

Product No: F26DBX-841-ECO4P

Rated Life – Nominal: 17,000 hours

Mean Lumens nominal: 1530Lm

Nominal Initial Lumen per Watt: 69

Initial Lumens-nominal: 1800Lm

CRI: 82

Color Temperature: 4100K

Equivalent Incandescent Watts: 100W

Rated power: 26W

---



---

Product No: LU250-H-ECO  
Base Description: Modul Screw  
Base Type: Screw-In (E39)  
Nominal Rated Life Hours: 24,000 hours  
Bulb Finishes and Colors: Clear  
Bulb Shape: ED18  
Mean Lumens nominal: 25200Lm  
Nominal Lumens per Watt: 112Lm  
Initial Lumens – nominal: 28,000Lm  
CRI: 22  
Color Temperature: 2100  
Open Circuit Voltage (RMS lag ballast) (Min):  
198V  
Rated Power: 250W



---

Product: 3 Way Soft White (50/150)  
Base Type: Edison  
Color: Soft White  
Operating Life: 2000 hours  
Voltage: 120V  
Bulb Shape: A21  
Special Features: 3-way  
Wattage: 150W

---



Product No: 25CTC

Shape: B10

Voltage: 130V

Wattage: 25W

Type of Bulb: Candelabra

Type of Bulb: Incandescent

Special Features: Dimmable



Product No: 40CTC

Shape: Torpedo Tip

Voltage: 120V

Wattage: 40W

Type of Bulb: Incandescent

Special Features: Dimmable

Type of Bulb: Candelabra

---



Product No: 40G25

Color: Clear

Shape: G25

Voltage: 130V

Type of Bulb: Incandescent

Luminous Flux: 150

Wattage: 40W

Color Temperature: 2700K

Average Life: 2500 hours



Product No: 60CTC-130

Shape: Torpedo Tip

Voltage: 120V

Wattage: 60W

Type of Bulb: Incandescent

Special Features: Dimmable



Product No: 65BR30-FL  
Average Life: 2000 hours  
Bulb Shape: Reflector  
Bulb Type: Flood and Spot  
CRI: 100  
Color Temperature: Soft White  
Bulb Base: E26  
Bulb Type: Medium  
Bulb Features: Dimmable  
Light Output: 685Lm  
Wattage: 65W



Product No: BP25EFC  
Bulb Shape: 120V  
Wattage: 25W  
Type of Bulb: Incandescent

---



---

Product No: BPCFC-LED-RP  
Wattage: 2W  
Voltage: 120V  
Lumens: 75Lm  
Light Source: LED  
Life Hour: 20,000 hours  
Base: Candelabra (E12)  
Equivalent: 25W Incandescent



---

Product No: BPESL9-GU10  
Technology: CFL  
Useful Life Hours: 8000 hours  
Equivalent Wattage: 35W  
Actual Wattage: 7W  
Voltage: 120V  
Color Temperature: 3500K  
Bulb Shape: MR16  
Base Type: GU10  
Dimmable: No

---



Product No: BPQ60-G9  
Color: Soft White  
Shape: T4  
Voltage: 120V  
Fixture Features: Dimmable  
Type of Bulb: Halogen  
Wattage: 60W  
Color Temperature: 3000K  
Average Life: 2000 hours



Product No: BPQ100T4-JCD  
Color: Soft White  
Shape: T4  
Voltage: 120V  
Type of Bulb: Halogen  
Wattage: 100W  
Color Temperature: 3000K  
Average Life: 2000 hours





---

Product No: ESL23TM-D  
Input Power: 23W  
Incandescent Equivalent: 100W  
Voltage: 120V  
Base Type: E26 (Medium)  
Lumens: 1600Lm  
Lumen Efficiency: 69LPW  
Color Temperature: 6500K  
Life Hours: 8000 hours



---

Product No: G4-LED  
Style: 12V  
Shape: Wedge  
Voltage: 120V  
Wattage: 3W  
Type of Bulb: LED  
Luminous Flux: 150  
Special Features: Dimmable

---



Product No: PAR38-5K-LEDG5

Input Power: 17W

Incandescent Equivalent: 90W

Voltage: 120V

Base Type: E26 (Medium)

Lumens: 1035Lm

Lumen Efficiency: 60LPW

Color Temperature: 5000K

CRI: >80

Life Hours: 25,000 hours



Product No: PLD13E-41

Voltage: 120V

Wattage: 13W

Type of Bulb: Compact Fluorescent

Luminous Flux: 850Lm



Product No: Q50-CL-MC

Shape: T4

Voltage: 120V

Wattage: 50W

Type of Bulb: Halogen



Product No: Q50T4

Shape: T4

Voltage: 12V

Wattage: 50W

Type of Bulb: Halogen

Special Features: Clear



Product No: Q100T3-CL

Life: 1.8 years/2,000 hours

Volts: 130V

Energy Used: 100W

Base: R7

Color Temperature: 3000K



Product No: Q150T3-CL

Life: 1.8 years/2,000 hours

Voltage: 130V

Energy Used: 150W

Base: R7

Color Temperature: 3000K



Product No: Q300T3-CL

Life: 1.8 years/2,000 hours

Voltage: 130V

Energy Used: 3000W

Base: R7

Color Temperature: 3000K

---



Product No: Q500T3-CL

Shape: T3

Voltage: 120V

Wattage: 500W

Type of Bulb: Halogen



Product No: LU400

Voltage Rating: 100V

Wattage: 400W

Base Type: Mogul Screw (E39)

Bulb Type: ED-18

Approx. Initial Lumens: 50,000Lm

Approx. Mean Lumens: 45,000Lm

Color Temperature: 2100K

Rated Life: 24,000 hours

Coating: Clear



---

Product No: LU10000  
Voltage Rating: 250V  
Wattage: 1000W  
Base Type: Modul Screw (E39)  
Bulb Type: E-25  
Approx. Initial Lumens: 14,000Lm  
Approx. Mean Lumens: 126,000Lm  
Color Temperature: 2100K  
CRI: 21  
Rated Life: 24,000 hours



---

Product No: MH175-U  
Wattage: 175W  
Base Type: Mogul Screw (E39)  
Bulb Type: ED-28  
Approx. Initial Lumens: 14,000Lm  
Approx. Mean Lumens: 9100Lm  
Color Temperature: 4100K  
CRI: 70  
Rated Life: 10,000 hours

---



Product No: LU150-S63-ULX  
Wattage: 150W  
Shape: ED17  
Base: E26  
Lumens: 16,000Lm  
Rated Life Hours: 24,000 hours



Product No: 40A15-TF  
Wattage: 40W  
Bulb Type: A15  
Base: E26  
Color: Warm White Light  
Color Temperature: 2700K  
CRI: 1000  
Average Life: 3,750 hours  
Voltage: 130V  
Lumens: 265Lm

---



---

Product No: 40S11N-C  
Shape: S11  
Voltage: 120V  
Wattage: 40W  
Type of Bulb: Incandescent



---

Product No: CF13S841-E  
Wattage: 13W  
Bulb Type: T4  
Base: 2GX7  
Finish: Frost  
Color Temperature: 4100K  
Color: Cool White  
CRI: 82  
Lumens: 820Lm  
Average Hours: 10,000 hours

---





---

Product No: FT36-841  
Wattage: 36W  
Bulb Type: T5  
Base: @g11  
Finish: Frost  
Color Temperature: 4100K  
Color: cool White  
CRI: 82  
Lumens: 2800Lm  
Average Hours: 10,000 hours



---

Product No: KX40CL-E12  
Technology: Krypton – Xenon  
Useful Life Hours: 3000 hours  
Lumen Output: 560Lm  
Actual Wattage: 40W  
Color Temperature: 2700K  
Beam Degrees: 360  
CRI: 100  
Bulb Shape: T3  
Base Type: Candelabra Screw (E12)



---

Product No: LED TP G9 SMD-2.5W  
Rated Wattage: 2.5W  
Rated voltage: 220-240V  
Base; G9  
Material: Thermal Plastic  
Color Temperature: 3000K  
Lumens: 200Lm

---



---

Product No: 5B11DLED27  
Input Power: 5W  
Lumens: 325Lm  
Voltage: 120V  
CRI: 80  
L70 Hour Life: 15,000 hours  
Base: Candelabra (E12)  
Special features: Dimmable down to 10%  
Color Temperature: 2700K  
Efficacy: 65LPW  
Voltage: 120V



---

Product No: 6.5MR16GUDLED  
Input Voltage: 120V  
CRI: >80  
Base: GU10  
Dimmability: Dimmable LED  
Colour Temperature: 3000K  
Beam Angle: 40° Flood  
Power Consumption: 6.5W  
Lumens Delivered: 500Lm  
Lumen Maintenance: 25,000 hours

---



Product No: 10P30LNDLED30FL

Wattage: 10W

Dimmability: Yes

Color Temperature: 3000K

Beam Angle: Flood 35°

Lumens Delivered: 750Lm

Efficacy: 75Lm/W

Equivalency: 75W

Lumen Maintenance: 25,000 hours

Input Voltage: 120V



Product No: 11A19DLED30

Wattage: 11W

Base: E26

Dimmable: Yes

Color Temperature: 3000K

Lumens Delivered: 110Lm

Efficacy: 100Lm/W

CRI: 80

Input Voltage: 120V

---



---

Product No: E9A19DLED27

Wattage: 9W

Lumens per Watt: 89

Equivalent Watts: 60W

Lamp Shape: A19

Base: E26 (Medium)

Average Life (Hours): 25,000 hours

Color Temperature: 2700K

CRI: 81

Initial Lumens: 800

Dimmable: Yes

Lamp Type: LED



---

Product No: HCS23DL

Energy Used: 23W

Incandescent/Halogen Equivalent: 100W

Voltage: 120V

Base: Medium (E26)

Bulb Shape: Spiral

Bulb Color: Bright White

CRI: 82

Color Temperature: 5000K

Brightness: 1600Lm

Average Rated Life: 10,000 hours

---



Product No: MLS25EAD

Color: Warm White

Shape: Spiral

Voltage: 120V

Wattage: 25W

Luminous Flux: 1600Lm

Special Features: Dimmable

Type of Bulb: Dimmable



Product No: SKQ60EA50

Input Voltage: 120V

HID Equivalent: 175 MH

Lumens: 4200Lm

Efficacy: 70Lm/W

Color Temperature: 5000K



---

Product No: SKR315FLWW-107  
Energy Used: 15Wa  
Incandescent/Halogen Equivalent: 75W  
Input Voltage: 120V  
Base: Medium (E26)  
Bulb Shape: R-30  
Bulb Color: Warm White  
CRI: 84  
Color Temperature: 2700K  
Brightness: 750Lm  
Average Rated Life: 10,000 hours



---

Product No: SKS13T2DL-149  
Lumens: 900Lm  
Input Voltage: 120V  
Color Tone: Daylight  
Base: Medium E26  
Rated Hours: 10,000 hours  
Wattage: 13W  
Lumens per Watt: 69.23  
Color Temperature: 5000K  
CRI: 85  
Equivalent: 60W Incandescent

---