



PROGRESSIVE

LIGHTING & ELECTRICAL LTD.

DIMMERS





Abella Digital Fade Dimmer

- press on to favorite level; press off
- press twice for full on
- press, hold and release for gradual fade-to-off
- touch buttons to adjust light level
- provides true dimming from each location (with companion dimmers)

Incandescent/halogen¹	
single pole/ multi-location	600W
single pole/ multi-location	1000W
Magnetic low-voltage	
single pole/ multi-location	600VA (450W)
Single pole/ multi-location	1000VA (800W)

Suggested maximum lighting load for magnetic low-voltage dimming is 450W for 600VA products and 800W for 1000VA products, to allow for transformer losses.

¹ Minimum load is 40W/VA



Abella Companion Dimmer

- **for use with multi-location dimmers only** use up to nine companion dimmers with only one Abella® multi-location dimmer
- provides true dimming from each location
- no derating if ganged
- use standard single-pole and 3-way wiring for easy installation.

Ariadni Toggle Dimmer

- Toggle turns on/off
- Slide up to brighten; down to dim
- **eco-dim®** model guarantees at least 15% energy savings compared to a standard switch



Incandescent/halogen dimmers
Preset dimmers
Single-pole 120V 600W
Single-pole 120V 1000W
3-way 120V 600W
3-way 120V 1000W
Preset dimmers with locator lights
Single-pole 120V 600W
Single-pole 1000W
3-way 120V 600W
3-way 120V 1000W
eco-dim® preset dimmer
3-way/single pole 120V 600W
eco-dim model guarantees at least 15% energy savings compare to a standard switch

Magnetic low-voltage dimmers
Preset dimmers
Single-pole 120V 600VA(450W)
3-way 120V 600VA(450W)

The stated VA (Volt-Ampere) rating includes the magnetic transformer heat losses and the lamp load. The stated W (Watt) rating is the maximum lamp wattage based on assumed 20% transformer loss.



Ceana Push Dimmer

- push button to turn lights on/off
- large, curved buttons are comfortable and easy to use
- large slider adjusts light level to suit any activity
- button glows softly – easily find the dimmer in the dark; slider rack glows, allowing the light level to be set even before turning the light on
- position of slider indicates light level at a glance
- matching Ceana switches available for a coordinated look and for 3-way applications

Control Type	Maximum Capacity
Single-pole	600W incandescent/halogen
3-way	600W incandescent/halogen
Single-pole	1000W incandescent/halogen
3-way	1000W incandescent/halogen
Single-pole	600VA (450W) magnetic low-voltage
3-way	600VA (450W) magnetic low-voltage



Divia Paddle Dimmer

- Large paddle switch with a captive linear-slide dimmer for a standard designer wallplate opening
- HED™ Technology: *Lutron's* advanced dimming circuitry designed for compatibility with most high efficacy light bulbs
- UL Listed to control:
 - Dimmable compact fluorescent (CFL) with integrated ballast
 - Dimmable LED with integrated driver
 - Halogen
 - Incandescent
- Low-end adjustment dial to accommodate a wide range of bulbs

Power and Ratings

• 120 V ~ 60 Hz

• 150 W Dimmable CFL/LED

or

• 600 W Incandescent/Halogen

or

• Mixed bulb type per *Multigang and Mixed Bulb Type Ratings*



Lyneo Lx Slide Dimmer

- Push buttons turns on/off
- Slide up to brighten; down to dim
- Includes locator light

Control Types

Single-pole (one location)

3-way or 4-way (two or more locations)

Direct load compatibility

Incandescent/halogen lighting

Magnetic low-voltage lighting

Electronic low-voltage lighting

Fluorescent lighting



Maestro Digital Fade Dimmer

- Tap on to favorite level; tap off
 - Tap twice for full on
 - Press, hold and release for delayed fade-to-off
 - Touch rocker to adjust light level
 - Provides true dimming from each location (with companion dimmers)
-
- **eco-dim®** model guarantees at least 15% energy savings compared to a standard switch
 - **eco-minder™** green LED demonstrates 15% or more energy savings compared to a standard switch
 - Dimmer advanced programming features available



Maestro Dual Dimmer

- **Dimmers** (top/bottom)
 - Replacement for stacked switches
 - Tap on to favorite light level; tap off
 - Touch rocker to adjust light level
 - Single-location only
- Dimmer advanced programming features available



Rotary Dimmer

- The original electronic dimmer - first patented in 1959
- Easy-turn knob adjusts light to your favorite level
- **eco-dim®** model available
- 100% factory tested

Control types

Single-pole (one location)

3-way or 4-way (two or more locations)

Direct load type compatibility

Incandescent/halogen lighting

Ceiling fans

Lighting load interfaces are not compatible with this family



Skylark Slide Dimmer

- Rocker switch returns light to your favorite light level
- Slide up to brighten, down to dim (adjust light to suit any activity)
- **eco-dim®** model available
- 1000 W preset dimmers have voltage compensation which maintains stable light levels, despite line voltage variations

Control types

Single-pole (one location)

3-way or 4-way (two or more locations)

Direct load type compatibility

Incandescent/halogen lighting

Magnetic low-voltage lighting

Electronic low-voltage lighting

Fluorescent lighting

LED lighting

Dimmable compact fluorescent

Ceiling fans

Ceiling fan/lights