

# HIGH | LOW BAY LIGHTING



## **NOTE**

- Our showrooms are **NOT LIMITED** to these items displayed on the catalogue. Please free to visit any of our two locations nationwide to see these beauties and more lighting fixtures in real.
- Unable to match one of our flood lights to meet your requirements. Then contact us for further information.
- You can order your lighting fixtures to match your specific requirements.
- We can supply fixtures based on the Commercial Office Space, Private Offices, Health Care, Educational Facilities, Retail Merchandising Areas, Sports Lighting, Street Lighting, Parking Area Lighting, Vandal Resistant, Maximum Security, Harsh (Fire and Explosion) Environment, and Marine Grade.



### **EATON- METALUX LED ROUND HIGH BAY**

Die-cast aluminium housing and heatsink

Acrylic Reflectors in Clear or Frosted

Available in two lumen packages (18,000 and 24,000)

Universal Voltage: 120-277V

Wide Distribution Available

**Example: RHB-18-UNV-L840-CD-U w/RHB-FRR**

LED High bay rated at universal voltage- 18,000Lumens – 4000K with frosted acrylic reflector

### **EATON- METALUX LED LOW BAY**

Low Profile, Die-cast aluminium housing

Dimming 0-10V

Universal Voltage: 120-277V

Available in three lumen packages (6000, 8000, 11,000)

Wide and Medium Distribution Available

Mounted Options: Surface, Hook, Wall or Pendant Mount

Various Fixture Color Options

**Example: TBLED-LD1-6-M-UNV-L840-CD1-PM-WHT**

White pendant mounted LED low bay rated at universal voltage 6,000Lumens – 4000K.





**LED HIGH / LOW BAY FIXTURE**

**Product No: IL 8409BK-100W**

Finish: Black

100W, 5000K, 12,000 Lumens

110-277V, 50-60Hz, IP65

Beam Angle 120°

Size: D-28cm H-18.5cm

Available in 150W and 200W



**LED LINEAR HIGH BAY FIXTURE**

**Product No: IL 8904-100W-50K**

100W, 5000K, 10,000 Lumens

90-305V, 50-60Hz, IP65

Beam Angle 90°

Size: L-624mm W-135mm H-135mm

**NOTE: You can order your lighting fixtures to match your specific requirements and Environmental Conditions. These are some lighting fixtures you can consider in your decision making.**